

Bio 20

Scanjet tank cleaning equipment



The Bio 20 rotary jet head is a hygienic tank cleaning machine that provides 360° coverage within a given tank or process vessel. The Bio 20 is an advanced external gear self-powered tank cleaning machine. The external gear box allows for complete sealed tank operation, reduced the number of parts submerged in the product and boasts easy maintenance features.

An increase in water pressure through the turbine increases the jet length and impact on the side of the tank or vessel. The Bio 20 employs market leading self-washing technology that allows itself to be completely covered and has been certified in validations protocols such a riboflavin rinse validation and yogurt washing trials.

Quality Standards

The Bio 20 is produced in accordance to stringent quality standards and meets or exceeds ISO 9001 International Quality Standards as well as conforming to the cGMP as detailed by the United States FDA (Food and Drug Administration and EHEDG (European Hygienic Equipment Design Group)

Typical Cleaning Methods

- + Fixed installed CIP Systems
- + Multi- Tank Solution Recovery
- + Single Use/Single Pass
- + Single Use/ Recovery

Typical Applications

- + Process vessels and reactors
- + Storage tanks
- + Fermenters
- + Yeast Production


KEY FEATURES

Bio 20 is an advanced external geared tank cleaning machine specially designed for:

- + Food and Dairy
- + Pharmaceutical
- + Chemical Processing
- + Transportation
- + Beverage

WHERE

- + Self-washing required
- + Low fluid consumption
- + Hygienic design



BIO20_TCT_2016_01_14




Distributed and Serviced by...
Tank Cleaning Technologies, Inc.
15200 Middlebrook Drive, Suite E
Houston, Texas 77058 - USA
Phone: +1 281.480.4041
Fax: +1 713 516.5883
Email: sales@tankcleantech.com

www.tankcleantech.com


Stocking Locations in USA, Canada and Mexico




Technical performance



Pressure/Flow




Jet length




Pattern Time


Dimensions



Nominal sizes of connections according to ISO 2852



SECTION A-A



Specifications

Flow	5-12 m³/h
Inlet pressure	3-14 bar
Max pressure	14 bar
Recommended pressure	6 bar
Max temperature	95°C
Max ambient temperature	140°C
Weight	4.3 kg
Connections standards	Tri clamp
Material	AISI 316L, PVDF, PEEK-TX
Lubrication	Cleaning media

BIO20_TCT_2016_01_14



Distributed and Serviced by...
Tank Cleaning Technologies, Inc.
15200 Middlebrook Drive; Suite E
Houston, Texas 77058 - USA
Phone: +1 281.480.4041
Fax: +1 713 516.5883
Email: sales@tankcleantech.com

www.tankcleantech.com

Stocking Locations in USA, Canada and Mexico