



MATERIAL SAFETY DATA SHEET

ORB135SC

1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

PRODUCT NAME: ORB135SC

SUPPLIER: **Orbijet, Inc.**
15200 Middlebrook Drive: Suite E
Houston, Texas 77058

TEL: 281.218.9400
FAX: 713.513.5884
EMAIL: info@orbijet.com

2 COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT NAME	CONTENTS	SYMBOL	RISK No. (R No.)
ANIONIC SURFACTANTS	25 - 50 %	Xi	36/38
GLYCOL ETHER	25 - 50 %	Xi	36/38

The full text for all R-phrases are shown in section 16.

3 HAZARDS IDENTIFICATION

Irritating to eyes and skin.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

INGESTION: DO NOT INDUCE VOMITING! Remove victim immediately from source of exposure. Rinse mouth thoroughly. Drink plenty of water or milk. Provide rest, warmth and fresh air. Get medical attention immediately!

SKIN: Remove affected person from source of contamination. Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention promptly if symptoms occur after washing.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: Use: Water spray, foam, dry powder, or Carbon Dioxide (CO₂).

SPECIAL FIRE FIGHTING PROCEDURES:

Keep run-off water out of sewers and water sources. Dike for water control.

HAZARDOUS DECOMPOSITION PRODUCTS:

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂). Sulphurous gases (SO_x).

PROTECTIVE MEASURES IN FIRE: Wear self-contained breathing apparatus and full protective clothing to prevent any contact with skin and eyes.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEANUP METHODS: Wear necessary protective equipment. Stop leak if possible without risk. DO NOT touch spilled material! Runoff or release to sewer, waterway or ground is forbidden. Absorb in vermiculite, dry sand or earth and place into containers. Flush clean with lots of water. Be aware of potential for surfaces to become slippery. Do not let washing down water contaminate ponds or waterways. Wash thoroughly after dealing with a spillage.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS: Keep away from heat, sparks and open flame. Avoid spilling, skin and eye contact. Keep container tightly closed.

STORAGE PRECAUTIONS: Keep in cool, dry, ventilated storage and closed containers.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

TLV Max 50mg/m³ (10ppm) ACGIH

PROTECTIVE EQUIPMENT:

VENTILATION: Well ventilated area.

RESPIRATORS: No specific recommendation made, but respiratory protection must be used if the general level exceeds the Occupational Exposure Level (OEL).

PROTECTIVE GLOVES: Use protective gloves made of: Impermeable material. Confirmation of materials/advice should be sought from glove suppliers.

EYE PROTECTION: Use approved safety goggles or face shield.

OTHER PROTECTION: Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENIC WORK ROUTINES: DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. No eating or drinking while working with this material.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	: Liquid. Clear.
COLOUR	: Colorless.
ODOUR/TASTE	: Mild. Characteristic.
SOLUBILITY DESCRIPTION	: Soluble in most organic solvents in all proportions.
SOLUBILITY VALUE (g/100g H ₂ O/20°C)	: Soluble in water in all proportions.
SPECIFIC GRAVITY (Water=1)	: 0.95 - 1.05 @ 20 °C
pH-VALUE, CONC	: 4.5 - 7.5
FLASH POINT	: >80°C

10 STABILITY AND REACTIVITY

STABILITY:

Normally stable.

CONDITIONS TO AVOID:

Avoid contact with strong oxidizers and strong reducing agents.

HAZARDOUS DECOMPOSITION PRODUCTS:

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂), Sulphurous gases (SO_x).

11 TOXICOLOGICAL INFORMATION

INHALATION: High concentration of vapors may cause irritation.

INGESTION: May cause discomfort if swallowed.

SKIN: Irritating to skin. May degrease the skin.

EYES: Irritating to eyes.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: Product is readily biodegradable.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Do not allow runoff to sewer, waterway or ground. Dispose of in accordance with Local Authority requirements.

14 TRANSPORT INFORMATION

ROAD: Not Required

HAZARD CLASS (ADR): Not Required

RAIL: Not Required

SEA: Not Required

AIR: Not Required

Not classified for transportation.

15 REGULATORY INFORMATION

LABEL FOR SUPPLY: Xi, IRRITANT

RISK PHRASES: R-36/38 Irritating to eyes and skin.

SAFETY PHRASES: S-24/25 Avoid contact with skin and eyes.
S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S-37/39 Wear suitable gloves and eye/face protection.

STATUTORY INSTRUMENTS:

Control of Substances Hazardous to Health.
Chemicals (Hazard Information and Packaging) Regulations.

GUIDANCE NOTES:

CHIP for everyone HSG(108).
Occupational Exposure Limits EH40.

16 OTHER INFORMATION

REVISION DATE: 1-2006

REVISION No. /REPLACES SDS ISSUED: Third Issue.

R-PHRASES (Full Text): R-36 Irritating to eyes.
R-38 Irritating to skin.